PHILOSOPHICAL MAGAZINE LETTERS, 1998, VOL. 78, NO. 6, 479–481

SUBJECT INDEX

Vol. 78

PAGE

Ageing-induced soft magnetic properties of amorphous Fe–Si–B–Nb 229
Al alloys, high-strain-rate superplasticity in 313
Al–Co–Ni, structural modifications in decagonal 67
Al–Mn–Pd, microvoids in icosahedral 339
Al–Pd–Mn, icosahedral quasicrystals. 127
Al/Co multilayers, formation of decagonal quasicrystalline film in 77
Al/Ge bilayer film, crystalline Ge aggregates in 241
Alumina, *ab initio* modelling of structure of 469
Amorphous Fe–Si–B–Nb, soft magnetic properties of 229
Amorphous GaN, ion-beam synthesis of. 319
Anderson model in $D > 1$ dimensions 177
Ar and Ag clusters, melting and fragmentation of 145
Atomic force microscopy of n-alkane crystals 255
Atomistic calculation of interaction between edge dislocations and a free surface . . 377
Avrami model, island size distributions 247

$Bi_{85}Sb_{15}$, extruded alloy, mechanical properties of 283
Bicrystal interface in $SrTiO_3$ 51

Carbon nanoparticles, generation by PECVD 15
Carbon nanotubes, microscopic structure of 139
Carbon nitride phase synthesized by ion-beam sputtering 453
Clathrates, C, Si and Ge 21
Copper, dislocation patterns within grains of Cu 105
Crack bifurcation in Prince Rupert's drops 153
Crack in Si, disclocation wake along. 435
Creep of a composite by energy balance method 331
Crumpled systems, repacking of 325
Crystallization in metallic glasses. 213

Decagonal Al–Co–Ni, existence regions in 67
Decagonal quasicrystalline film in Al–Co multilayers 77
Deformation of Fe–1.5wt%Si 185
Differential scanning calorimetry of metallic glasses. 213
Differential scanning calorimetry study of Pb nanoparticles. 37
Dislocation, edge, interaction with free surface 377
Dislocation patterns near grain boundaries in copper 105
Dislocation velocities in Ni_3Al 1
Dislocation wake along a crack in Si. 435
Dislocations, edge in NiAl, real-space electronic structure of 427
Dislocations, equilibrium configurations of Lomer–Cottrell (Erratum) 477
Dislocations in quasicrystals 369
Dislocations, Lomer–Cottrell climb-dissociated 87
Dislocations, loop, in Si, scattering of He^+ ions by 277
Dislocations, motion of in Al-rich Ti–Al. 385
Disordered alloys, diffuse intensity peaks in 403
Dodecagonal tantalum telluride, mesoscopic structure of 357
Ductile–brittle fracture behaviour in fcc crystals. 307
Ductile–brittle transition temperature in Si 435

Electron channelling contrast technique in SEM. 105
Electron holography study of voids in implanted silicon 445

Electronic structure of edge dislocations in NiAl . . . 427
Excitations, single-particle, in a 2D superconductor . . . 393

Faults, {001}, in B2 Fe–Al–C–B . . . 349
Fe–1.5wt%Si, rotational plasticity during deformation of . . . 185
Fe–Al–C–B, {001} faults in . . . 349
Fe–Si–B–Nb, soft magnetic properties of amorphous . . . 229
Fe_3Al alloys, effect of molybdenum substitution . . . 97
Fermi-surface-related intensity peaks in disordered alloys . . . 403
Ferromagnetic metals, S-wave superconductivity in . . . 169
Fracture, anomalous ductile–brittle behaviour . . . 307
Fracture, microplastic, in silicon . . . 9
Frank–Kasper structures, duals of . . . 21
Fullerene-like carbon nanoparticles . . . 15

GaN, amorphous, ion-beam synthesis of . . . 319
Glass transition and crystallization in metallic glasses . . . 213
Grain boundaries in Cu, dislocation patterns near . . . 105

HREM, exit-plane wavefunction reconstruction in . . . 127
HREM study of dodecagonal tantalum telluride . . . 357

Icosahedral Al–Mn–Pd, microvoids in . . . 339
Icosahedral Al–Pd–Mn quasicrystals, cluster substructure of . . . 127
Indentation, contact area under load in . . . 115
Ion-beam sputtering, synthesis of new carbon nitride phase . . . 453
Ion-beam synthesis of a-GaN . . . 319

Lamellar microstructure in TiAl . . . 297
Laser ablation production of carbon nanotubes . . . 139
Lomer–Cottrell dislocations, equilibrium configurations of . . . 87
Lomer–Cottrell, equilibrium configurations of climb-dissociated dislocations (Erratum) . . . 477

Melting and fragmentation of Ar and Ag clusters . . . 145
Melting and solidification of Pb nanoparticles . . . 37
Melting of surface-free single crystals . . . 29
Mesoscopic structure of disordered tantalum telluride . . . 357
Metallic glasses, glass transition and crystallization in . . . 213
Microplastic fracture in silicon . . . 9
Microvoids in icosahedral Al–Mn–Pd . . . 339
Modulated structure of ZrO_2–6mol%Y_2O_3 . . . 45
Molecular dynamics calculations of melting of Ar and Ag clusters . . . 145
Molybdenum substitution in Fe_3Al alloys . . . 97
Monte Carlo simulations of dechannelling and back scattering of He^+ ions by loop dislocations in Si . . . 277

Nanocrystalline $NiFe_2O_4$ . . . 193
Nanocrystallization in (Fe,Cr)–Si–B(–Cu–Nb) . . . 221
Nanoparticles, fullerene-like carbon . . . 15
Nanoparticles of Pb, melting and solidification of . . . 37
Nanotubes, single-wall carbon . . . 139
Nb(110) surface, core-level shift of . . . 271
NiAl, electronic structure of edge dislocation in . . . 427
NiAl, lattice site determination of dilute Cu in β-phase of . . . 461
NiAl, residual resistivity ratio and plasticity of . . . 121
Ni_3Al, dislocation velocities in . . . 1
$NiFe_2O_4$, formation of nanocrystalline . . . 193
Niobium growth on sapphire, hexagonal surface structure of . . . 419

NMR of Cu in β-phase NiAl 461

PECVD generation of carbon nanoparticles 15
Peierls–Nabarro model, dissociation of superdislocations in TiAl 289
Plasticity and residual resistivity of NiAl. 121
Plasticity, rotational, during deformation of Fe–1.5wt%Si 185
Porosity in quasicrystals 159
Precipitation in a TiAl-based alloy 59
Prince Rupert's drops, crack bifurcation in 153

Quasicrystalline film by reactive diffusion in Al/Co multilayers 77
Quasicrystalline phase in Zn–Mg–Y alloy 263
Quasicrystals, dislocations in 369
Quasicrystals, hierarchial porosity in 159

Residual resistivity ratio and plasticity of NiAl 121

SEM of dislocation patterns in Cu 105
Si, dislocation wake along a crack in. 435
Silicon, electron holography study of voids in 445
Silicon, loop dislocations in 277
Silicon, microplastic fracture in 9
$SrTiO_3$ bicrystal interface, X-ray scattering from 51
Step structure, kinetics of non-equilibrium 411
Strength and phase stability of Fe_3Al alloys 97
Stress anomaly in Al-rich Ti–Al 385
Superconductivity, S-wave in weak ferromagnetic metals 169
Superconductor, single-particle excitations in a 2D strong-coupling 393
Superdislocations in TiAl; generalized Peierls–Nabarro model 289
Superplasticity in cast Al alloys 313
Surface structure of niobium grown on sapphire 419
Synchrotron study of nano-crystallization in (Fe,Cr)–Si–B(–Cu–Nb) 221

TEM study of triple-ribbon contrast features in ZnTe 203
TEM-EDXA analysis of ZrO_2-6mol%Y_2O_3 alloy 45
Ti–Al, stress anomaly in Al-rich 385
TiAl-based alloy, precipitation in. 59
TiAl, superdislocations in. 289
TiAl, surface relief and displacive transformation in 297

Voids in self-annealed implanted silicon 445

X-ray emission channelling patterns of Cu in β-phase NiAl. 461
X-ray scattering from $SrTiO_3$(103) bicrystal interface 51

Zn–Mg–Y alloy, hexagonal and quasicrystalline phases in 263
ZnTe epitaxial layer, TEM study of 203
ZrO_2–6mol%Y_2O_3 alloy, TEM-EDXA analysis of 45

PHILOSOPHICAL MAGAZINE LETTERS, 1998, VOL. 78, NO. 6, 483–488

INDEX OF AUTHORS (WITH TITLES OF PAPERS)

Vol. 78

PAGE

Abraham, F. F., and Gao, H.: Anomalous ductile–brittle fracture behaviour in fcc crystals 307
Adams, G. B., *see* O'Keeffe, M.
Allessandrini, A., *see* Valdrè, G.
Almeida, S. A., Silva, S. R. P., Sealy, B. J., and Watts, J. F.: Ion-beam synthesis of amorphous gallium nitride 319
Aslanides, A., and Pontikis, V.: Atomistic calculation of the interaction between an edge dislocation and a free surface 377
Audier, M., *see* Emeric, E.

Balykov, L. N., Kitamura, M., Maksimov, I. L., and Nishioka, K.: Kinetics of non-equilibrium step structure 411
Baruchel, J., *see* Mancini, L.
Bastow, T. J., and Rossouw, C. J.: Lattice site determination of dilute Cu in β-phase NiAl by ^{63}Cu nuclear magnetic resonance and X-ray emission channelling patterns 461
Bedell, K. S., *see* Blagoev, K. B.
Beeli, C., Gödecke, T., and Lück, R.: Highly faceted growth shape of microvoids in icosahedral Al–Mn–Pd 339
Beeli, C., Matteucci, G., Lulli, G., Merli, P. G., and Migliori, A.: Electron holography study of voids in self-annealed implanted silicon 445
Beeli, C., *see* Ritsch, S.
Berbon, P. B., Furukawa, M., Horita, Z., Nemoto, M., Tsenev, N. K., Valiev, R. Z., and Langdon, T. G.: Requirements for achieving high-strain-rate superplasticity in cast alumunium alloys 313
Berg, C., *see* Strisland, F.
Bergman, C., *see* Emeric, E.
Blagoev, K. B., Engelbrecht, J. R., and Bedell, K. S.: *S*-wave superconductivity in weak ferromagnetic metals 169
Bonneville, J., and Vanderschaeve, G.: Erratum 477
Bonneville, J., and Vanderschaeve, G.: On the equilibrium configurations of climb-dissociated Lomer–Cottrell dislocations 87
Borrego, J. M., *see* Conde, C. F.
Brochin, F., *see* Martin-Lopez, R.
Burden, A. P., and Silva, S. R. P.: Fullerene-like carbon nanoparticles generated by radio-frequency plasma-enhanced chemical vapour deposition 15

Capitán, M. J., *see* Conde, C. F.
Chaudhri, M. M.: Crack bifurcation in disintegrating Prince Rupert's drops . . 153
Cheng, C.-M., *see* Cheng, Y.-T.
Cheng, Y.-T., and Cheng, C.-M.: Effects of 'sinking in' and 'piling up' on estimating the contact area under load in indentation 115
Chisholm, M. F., *see* Pang, L.
Conde, A., *see* Conde, C. F.

Conde, C. F., Millán, M., Borrego, J. M., Conde, A., Capitán, M. J., and Joulaud, J. L.: An *in situ* synchrotron study of nanocrystallization in (Fe, Cr)-Si–B (–Cu–Nb) alloys 221
Conrad, M., *see* Krumeich, F.
Czakó-Nagy, I., *see* Gotic, M.

Dauscher, A., *see* Martin-Lopez, R.
Deisz, J. J., *see* Hess, D. W.
Doi, M., Suzuki, Y., Koyama, T., and Katsuki, F.: Pattern evolution of crystalline Ge aggregates during annealing of an Al/Ge bilayer film deposited on a SiO_2 substrate 241
Dufour, C., *see* Oderno, V.
Dumesnil, K., *see* Oderno, V.
Dvorovienko, N. A., *see* Gernov, S. A.

Ehmann, J., *see* Schoeck, G.
Emeric, E., Bergman, C., Glugnet, G., Gas, P., and Audier, M.: Formation of a decagonal quasicrystalline film by reactive diffusion in Al/Co multilayers . . 77
Engelbrecht, J. R., *see* Blagoev, K. B.

Fähnle, M., *see* Schoeck, G.
Farinato, R., *see* Mancini, L.
Feidenhans'l, R., Kazimirov, A., Smilgies, D. M., Jiang, Q., and Zegenhagen, J.: X-ray scattering investigation of a $SrTiO_3(103)$ bicrystal interface 51
Feng, Y. P., *see* Li, Y.
Feuerbacher, M., *see* Rosenfeld, R.
Freeman, A. J., *see* Kontsevoi, O. Yu.
Fujitani, H., *see* Kenny, S. D.
Furukawa, M., *see* Berbon, P. B.

Gao, H., *see* Abraham, F. F.
Gas, P., *see* Emeric, E.
Gastaldi, J., *see* Mancini, L.
Gernov, S. A., Hamana, D., Dvorovienko, N. A., Golayev, V. I., and Tchmutov, V. M.: Development of rotational plasticity during deformation of Fe–1.5wt% Si alloy 185
Glugnet, G., *see* Emeric, E.
Gödecke, T., *see* Beeli, C.
Gödecke, T., *see* Ritsch, S.
Golayev, V. I., *see* Gernov, S. A.
Gomes, M. A. F., and Oliveira, V. M.: Repacking of crumpled systems . . . 325
Gornostyrev, Yu. N., *see* Kontsevoi, O. Yu.
Gotic, M., Czakó-Nagy, I., Popovic, S., and Music, S.: Formation of nanocrystalline $NiFe_2O_4$ 193
Gouma, P. I., Mills, M. J., and Kim, Y.-W.: Characterization of the precipitation process in a TiAl-based alloy with carbon and silicon additions 59
Gulácsi, Zs., *see* Orlik, I.
Gumbsch, P., *see* Mikulla, R.

Hagihara, K., *see* Nakano, T.
Hamana, D., *see* Gernov, S. A.
Han, P.-D.: Transmission electron microscopy study of triple-ribbon contrast features in a ZnTe epitaxial layer 203
Harbrecht, B., *see* Krumeich, F.
Hess, D. W., Deisz, J. J., and Serene, J. W.: Single-particle excitations in a two-dimensional strong-coupling superconductor 393

Hirscher, M., *see* Schaible, D.
Horita, Z., *see* Berbon, P. B.
Humphreys, C. J., *see* Nishino, Y.

Iijima, S., *see* Zhang, Y.
Ikuhara, Y., *see* Katamura, J.
Inkson, B. J., *see* Nishino, Y.

Janot, C., *see* Mancini, L.
Jiang, C. B., Patu, S., Lei, Q. Z., and Shi, C. X.: Dislocation velocities in Ni_3Al single crystals 1
Jiang, Q., *see* Feidenhans'l, R.
Jin, Z. H., and Lu, K.: Melting of surface-free bulk single crystals 29
Joulaud, J. L., *see* Conde, C. F.

Katamura, J., Shibata, N., Ikuhara, Y., and Sakuma, T.: Transmission electron microscopy–energy-dispersive X-ray spectroscopy analysis of the modulated structure in ZrO_2–6 mol% Y_2O_3 alloy 45
Katsnelson, M. I., *see* Kontsevoi, O. Yu.
Katsuki, F., *see* Doi, M.
Kazimirov, A., *see* Feidenhans'l, R.
Kenny, S. D., Nguyen-Manh, D., Fujitani, H., and Sutton, A. P.: *Ab initio* modelling of alumina 469
Kim, Y.-W., *see* Gouma, P. I.
Kitamura, M., *see* Balykov, L. N.
Kontsevoi, O. Yu., Mryasov, O. N., Gornostyrev, Yu. N., Freeman, A. J., Katsnelson, M. I., and Trefilov, A. V.: Real-space first-principles electronic structure of edge dislocations: NiAl 427
Koyama, T., *see* Doi, M.
Kronmüller, H., *see* Schaible, D.
Krumeich, F., Conrad, M., Nissen, H.-U., and Harbrecht, B.: The mesoscopic structure of disordered dodecagonal tantalum telluride: a high-resolution transmission electron microscopy study 357
Kumar, K. S., *see* Pang, L.

Langdon, T. G., *see* Berbon, P. B.
Lei, Q. Z., *see* Jiang, C. B.
Lenoir, B., *see* Martin-Lopez, R.
Li, Y., Ng, S. C., Lu, Z. P., Feng, Y. P., and Lu, K.: Melting and solidification of Pb nanoparticles embedded in an Al matrix as studied by temperature-modulated differential scanning calorimetry 37
Li, Y., Ng, S. C., Lu, Z. P., Feng, Y. P., and Lu, K.: Separation of glass transition and crystallization in metallic glasses by temperature-modulated differential scanning calorimetry 213
Loreto, L., *see* Mancini, L.
Lu, K., *see* Jin, Z. H.
Lu, K., *see* Li, Y.
Lu, Z. P., *see* Li, Y.
Lück, R., *see* Beeli, C.
Lück, R., *see* Ritsch, S.
Lulli, G., *see* Beeli, C.

Maksimov, I. L., *see* Balykov, L. N.
Mancini, L., Janot, C., Loreto, L., Farinato, R., Gastaldi, J., and Baruchel, J.: Hierarchical porosity in real quasicrystals 159
Mangin, Ph., *see* Oderno, V.
Marchal, G., *see* Oderno, V.

Martin-Lopez, R., Zayakin, S., Lenoir, B., Brochin, F., Dauscher, A., and Scherrer, H.: Mechanical properties of extruded $Bi_{85}Sb_{15}$ alloy prepared by mechanical alloying 283
Matteucci, G., *see* Beeli, C.
Mazzone, A. M.: Molecular dynamics calculations of melting and fragmentation of Ar and Ag clusters 145
Mazzone, A. M.: Monte Carlo simulations of the dechannelling and back scattering of He^+ ions by loop dislocations in silicon 277
Merli, G., *see* Beeli, C.
Migliori, A., *see* Beeli, C.
Mikulla, R., Gumbsch, P., and Trebin, H.-R.: Dislocations in quasicrystals and their interaction with cluster-like obstacles 369
Millán, M., *see* Conde, C. F.
Mills, M. J., *see* Gouma, P. I.
Mori, T., Taya, M., and Wakashima, K.: Steady-state creep of a composite analysed by an energy balance method 331
Mougin, A., *see* Oderno, V.
Mryasov, O. N., *see* Kontsevoi, O. Yu.
Mulheran, P. A., and Robbie, D. A.: Power-law island size distributions and the Avrami model 247
Muscatello, U., *see* Valdrè, G.
Music, S., *see* Gotic, M.

Nakano, T., Hagihara, K., Seno, T., Sumida, N., Yamamoto, M., and Umakoshi, Y.: Stress anomaly in Al-rich Ti–Al single crystals deformed by the motion of ½⟨110] ordinary dislocations 385
Naohara, T.: Ageing-induced soft magnetic properties of an amorphous Fe–Si–B–Nb alloy 229
Naohara, T.: Thermomagnetic gravimetry study of crystallization behaviour in amorphous Fe–Si–B–Nb alloys 235
Nemoto, M., *see* Berbon, P. B.
Ng, S. C., *see* Li, Y.
Nguyen-Manh, D., *see* Kenny, S. D.
Nishino, Y., Inkson, B. J., Ogawa, T., and Humphreys, C. J.: Effect of molybdenum substitution on phase stability and high-temperature strength of Fe_3Al alloys 97
Nishioka, K., *see* Balykov, L. N.
Nissen, H.-U., *see* Krumeich, F.
Nissen, H.-U., *see* Ritsch, S.

O'Keeffe, M., Adams, G. B., and Sankey, O. F.: Duals of Frank–Kasper structures as C, Si and Ge clathrates: energetics and structure 21
Oderno, V., Dufour, C., Dumesnil, K., Mougin, A., Mangin, Ph., and Marchal, G.: Hexagonal surface structure during the first stages of niobium growth on sapphire $(11\bar{2}0)$ 419
Ogawa, T., *see* Nishino, Y.
Oliveira, V. M., *see* Gomes, M. A. F.
Orlik, I., and Gulácsi, Zs.: Exact results related to the periodic Anderson model in $D > 1$ dimensions 177

Pang, L., Chisholm, M. F., and Kumar, K. S.: {001} faults in B2 Fe–40 at.% Al–0.7 at.% C–0.5 at.%B 349
Patu, S., *see* Jiang, C. B.
Pontikis, V., *see* Aslanides, A.
Popovic, S., *see* Gotic, M.

Qin, Z.-C., Yu, R.-C., Xu, L.-W., Zhang, X.-Y., and Xu, Y.-F.: A new carbon nitride phase synthesized by ion-beam sputtering 453

Raaen, S., *see* Strisland, F.
Ramstad, A., *see* Strisland, F.
Ritsch, S., Beeli, C., Nissen, H.-U., Gödecke, T., Scheffer, M., and Lück, R.: The existence regions of structural modifications in decagonal Al–Co–Ni . . . 67
Robbie, D. A., *see* Mulheran, P. A.
Rosenfeld, R., Thust, A., Yang, W., Feuerbacher, M., and Urban, K.: Investigation of the cluster substructure of icosahedral Al–Pd–Mn quasicrystals by means of exit-plane wavefunction reconstruction in high-resolution electron microscopy 127
Rossouw, C. J., *see* Bastow, T. J.

Saka, H., *see* Suprijadi
Sakuma, T., *see* Katamura, J.
Sankey, O. F., *see* O'Keeffe, M.
Sato, A., *see* Takakura, H.
Schaible, D., Hirscher, M., and Kronmüller, H.: Residual resistivity ratio and plasticity of high-purity NiAl single crystals 121
Scheffer, M., *see* Ritsch, S.
Scherrer, H., *see* Martin-Lopez, R.
Schoeck, G., Ehmann, J., and Fähnle, M.: Planar dissociations of [10$\bar{1}$] superdislocations in TiAl: ab-initio electron theory and generalized Peierls–Nabarro model 289
Sealy, B. J., *see* Almeida, S. A.
Seno, T., *see* Nakano, T.
Serene, J. W., *see* Hess, D. W.
Shi, C. X., *see* Jiang, C. B.
Shibata, N., *see* Katamura, J.
Silva, S. R. P., *see* Almeida, S. A.
Silva, S. R. P., *see* Burden, A. P.
Smilgies, D. M., *see* Feidenhans'l, R.
Strisland, F., Ramstad, A., Berg, C., and Raaen, S.: The surface core-level shift of the Nb(110) surface 271
Sumida, N., *see* Nakano, T.
Sun, Y. Q.: Surface relief and the displacive transformation to the lamellar microstructure in TiAl 297
Suprijadi, and Saka, H.: On the nature of a dislocation wake along a crack introduced in Si at the ductile–brittle transition temperature 435
Sutton, A. P., *see* Kenny, S. D.
Suzuki, Y., *see* Doi, M.

Takakura, H., Sato, A., Yamamoto, A., and Tsai, A. P.: Crystal structure of a hexagonal phase and its relation to a quasicrystalline phase in Zn–Mg–Y alloy 263
Taya, M., *see* Mori, T.
Tchmutov, V. M., *see* Gernov, S. A.
Thust, A., *see* Rosenfeld, R.
Trebin, H.-R., *see* Mikulla, R.
Trefilov, A. V., *see* Kontsevoi, O. Yu.
Tsai, A. P., *see* Takakura, H.
Tsatskis, I.: Coalescence of the Fermi-surface-related diffuse-intensity peaks in disordered alloys 403
Tsenev, N. K., *see* Berbon, P. B.

Umakoshi, Y., *see* Nakano, T.
Urban, K., *see* Rosenfeld, R.

Valdrè, G., Allessandrini, A., Muscatello, U., and Valdrè, U.: High-resolution imaging of n-alkane crystals by atomic force microscopy 255
Valdrè, U., *see* Valdrè, G.
Valiev, R. Z., *see* Berbon, P. B.

Vanderschaeve, G., *see* Bonneville, J.

Wakashima, K., *see* Mori, T.
Wang, Z. G., *see* Zhang, Z. F.
Watts, J. F., *see* Almeida, S. A.
Wu, Y. Q., and Xu, Y. B.: Direct evidence for microplastic fracture in single-crystal silicon at ambient temperature 9

Xu, L.-W., *see* Qin, Z.-C.
Xu, Y. B., *see* Wu, Y. Q.
Xu, Y.-F., *see* Qin, Z.-C.

Yamamoto, A., *see* Takakura, H.
Yamamoto, M., *see* Nakano, T.
Yang, W., *see* Rosenfeld, R.
Yu, R-C., *see* Qin, Z.-C.

Zayakin, S., *see* Martin-Lopez, R.
Zegenhagen, J., *see* Feidenhans'l, R.
Zhang, X.-Y., *see* Qin, Z.-C.
Zhang, Y., and Iijima, S.: Microscopic structure of as-grown single-wall carbon nanotubes by laser ablation 139
Zhang, Z. F., and Wang, Z. G.: Investigations of dislocation patterns within grains and near grain boundaries in copper by the electron channelling contrast technique in scanning electron microscopy 105